

Pre-Planting Herbicides

To be applied before planting the seeds to control the weeds

Herbicide	Rate of use / ha	Dosage / 16 L
Force Up liquid	4 - 6 L	160 - 240 ml
Force Up granule	1.5 - 2.5 kg	50 - 100 g
Paraeforce	4 L	160 ml
Unitedforce	5 L	200 ml

Pre-Emergence Herbicides

To be applied after planting before the rice seeds germination

	Herbicide	Rate of use / ha	Dosage / 16 L	Targeted weeds
	Riceforce	4 L	3 L	Stubborn weeds
_	Butaforce	4 L	4 L	Annual, perennial grasses, broad leaved weeds

Post-Emergence Herbicides

To be applied at 2 to 8 leaf stage of the maize to control the germinated weeds

Herbicide	Rate of use / ha	Dosage / 16 L	Targeted weeds
Agriforce	500 ml	25 - 50 ml	Grasses, broad leaved weeds

Fungicides

Item	Rate of use / ha	Dosage / 16 L	Targeted fungal disease
Redforce	500 g	50 g	Rice blast
Blastforce	750 g	30 g	Rice blast

Insecticides

Item	Rate of use / ha	Dosage / 16 L	Targeted fungal disease
Laraforce	1 L	50 g	Stem borer, aphids
V-Power	500 g	30 g	Stem borer, army worms
Rocket Granule	5 - 10 kg	Broadcasting application	Termites, beetles, ants

Foliar Fertilization program

Item	Mode of action	Rate of use	Dosage / 16 L
Maxi Calmag		4 kg	100 g
Maxi MKP	Foliar application	1 kg	50 g
Maxi K		4 kg	150 g

Surfactant

Item	Mode of action	Rate of use	Dosage / 16 L
Cover foce	Maximize spreading and wetting for better uptake of agrochemical and fertilizers by the crops leaves. reduce the washing of chemical by rain. To be used mixed with all the items above except the pre-emergence	100 ml	5 ml







































